

Corporate Design Manual

KNX Association

Logotype ■ Associated entities

Osmosis between the words KNX & the associated entities

The word is printed on top of the bow, thus expressing the support given by KNX to the associated entity.



Corporate colors ■ Basic

100%



50%



25%



PANTONE® Coated 362 C
RAL: 6017

CMYK:
076% (C)
000% (M)
100% (Y)
011% (K)

RGB:
054 (R)
146 (G)
038 (B)

CMYK:
038% (C)
000% (M)
050% (Y)
006% (K)

RGB:
027 (R)
073 (G)
019 (B)

CMYK:
019% (C)
000% (M)
025% (Y)
003% (K)

RGB:
019 (R)
025 (G)
003 (B)


100%



50%



25%



PANTONE® Coated 430 C
RAL: 7037

CMYK:
006% (C)
000% (M)
000% (Y)
047% (K)

RGB:
128 (R)
132 (G)
133 (B)

CMYK:
003% (C)
000% (M)
000% (Y)
024% (K)

RGB:
064 (R)
068 (G)
067 (B)

CMYK:
002% (C)
000% (M)
000% (Y)
012% (K)

RGB:
032 (R)
032 (G)
033 (B)

100%



50%



25%



PANTONE® Coated 293 C
RAL: 5005

CMYK:
100% (C)
057% (M)
000% (Y)
002% (K)

RGB:
012 (R)
075 (G)
157 (B)

CMYK:
050% (C)
029% (M)
000% (Y)
001% (K)

RGB:
006 (R)
037 (G)
079 (B)

CMYK:
025% (C)
014% (M)
000% (Y)
001% (K)

RGB:
003 (R)
019 (G)
039 (B)



www.knx.org